

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	357	324/357-359,370,375.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 08:09
L4	178	324/357-359,370,375.ccls. and ((current source) near3 electrode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 08:10
L5	125	324/347-348.ccls. and ((current source) near3 electrode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 08:10
L6	170	4 not 5	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 08:39
L7	9	("4166244"   "4801865"   "5138269"   "5346307"   "5357202"   "5537045"   "5661406"   "5914603"   "6331778").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 08:18
L8	74	6 and (electrode near3 (distance spacing))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 08:40
L9	6	6 and ((electrode near3 (distance spacing)) with (uneven different unequal "not equal"))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 08:44
L10	7	5 and ((electrode near3 (distance spacing)) with (uneven different unequal "not equal"))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 09:36
L11	3	("6636046" "5587659" "6236212").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 09:36
S1	1	"4298840".pn.	USPAT	OR	OFF	2005/05/24 11:54
S2	3	("4298840").URPN.	USPAT	OR	OFF	2005/05/24 13:52
S3	1	"6173604".pn.	USPAT	OR	OFF	2005/05/24 14:06
S4	0	10/439670	USPAT	OR	OFF	2005/05/24 14:06
S5	1	10/439670	US-PGPUB; USPAT	OR	OFF	2005/05/24 14:06
S6	8	("5032794").URPN.	USPAT	OR	OFF	2005/05/24 15:52
S8	3	S6 and electrode\$1	USPAT	OR	OFF	2005/05/24 15:58
S9	13	("4617518").URPN.	USPAT	OR	OFF	2005/05/24 17:09
S10	0	324/691-694,697,699.ccls. and (resistivity near2 sound\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/24 17:54

S11	155	324/691-694,697,699.ccls. and ((resistivity conductivity) same electrode\$1) and water	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/24 17:11
S12	44	S11 and noise	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/24 17:11
S13	80	324/691-694,697,699.ccls. and ((current near3 electrode\$1) same (voltage near3 electrode\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 10:38
S14	68	S13 and (resistance resistivity conductance conductivity)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/24 17:56
S15	56	S14 not S12	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 10:17
S16	2	"20030117154"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 10:17
S17	37	324/713,716.ccls. and ((current near3 electrode\$1) same (voltage near3 electrode\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 11:11
S18	9	("3182250"   "3548304"   "4287472"   "4287756"   "4298840"   "4652811"   "4745803").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 10:51
S19	39	324/334-335,357.ccls. and ((current near3 electrode\$1) same (voltage near3 electrode\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 11:46
S20	20	S19 and water	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 11:14
S21	20	S19 and (water seawater saltwater)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 11:14
S22	52	(resistivity near3 sound\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 11:46

S23	1	S22 and ((current near4 electrode\$1) same (voltage near4 electrode))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 11:48
S24	14	S22 and electrode\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 12:01
S25	119	324/364-365,697,699,716, 334-335,357,691-694.ccls. and (noise with ("geometric\$2 factor\$1" ratio\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 12:23
S26	57	S25 and electrode\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 12:03
S27	1	(S22 or (324/364-365,697,699, 716,334-335,357,691-694.ccls.)) and ((noise near2 (suppresion decreas\$3 lower\$3 eliminat\$3 remov\$3)) with (ratio geometr\$3 formula\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 12:27
S28	6	(S22 or (324/364-365,697,699, 716,334-335,357,691-694.ccls.)) and ((noise near4 (suppresion decreas\$3 lower\$3 eliminat\$3 remov\$3)) with (ratio geometr\$3 formula\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 13:10
S29	0	10/813621	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 13:14
S30	1	"6236212".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/25 13:14
S31	1	("6236212").URPN.	USPAT	OR	OFF	2005/05/25 13:14
S32	4	("3984759"   "4041372"   "4467642"   "5671136").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 13:21
S33	1	"4298840".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 15:07
S34	3	("4617518" "5587659" "6236212").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 17:10
S35	3044	((distance near4 electrode\$1) same (resistiv\$3 conductiv\$3)) and (water seawater)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 17:14

S36	1441	S35 and ((current source) near2 electrode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 17:12
S37	819	S36 and ((voltage measur\$4) near2 (electrode\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 17:13
S38	237	(((((increas\$3 decreas\$3 chang\$3 doubling halving shorten\$3 lower\$3) near2 distance) near4 electrode\$1) same (resistiv\$3 conductiv\$3)) and (water seawater)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 17:45
S39	16	S38 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 17:19
S40	68	(((((increas\$3 decreas\$3 chang\$3 doubling halving shorten\$3 lower\$3) near2 distance) near4 electrode\$1) same (resistiv\$3 conductiv\$3)) and (water seawater) and (electrode\$1 near4 (cable line))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 17:43
S41	439	((((current source) near2 electrode) with ((voltage measur\$5) near2 electrode)) with (line cable)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 17:44
S42	15	S41 and (((increas\$3 decreas\$3 chang\$3 doubling halving shorten\$3 lower\$3) near2 distance) with electrode)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 18:02
S43	331	324/347-348.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/25 18:03
S44	125	S43 and ((current source) near3 electrode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 08:10